

Date: Wednesday, 13/08/2008 10:54:57 AM.
User: Julie Lecocq

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: BRACKET
Job Number	: 41202		
Estimate Number	: 11296		
P.O. Number	:	Part Number	: D344015
This Issue	: 13/08/2008 S.O. No. :	Drawing Number	: D3440 REV A
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: / / Type : MACHINED PARTS	Drawing Revision	: A
Previous Run	:	Material	:
Written By	:	Due Date	: 15/09/2008
Checked & Approved By	: <u>JUL 08.8.13</u>	Qty:	2 / 4 Um: Each
Comment	: Est. A 05.08.31 New issue KJ/JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M6061T6B1000X02000	6061-T6 Bar 1.00 x 2.00
-----	--------------------	-------------------------



Comment: Qty.: 0.1925 f(s)/Unit Total: 0.7699 f(s)
6061-T6 Bar 1.0" x 2.0"

Material: 6061-T6 or 6061-651/T6510/T6511/T62 Bar (QQ-A-225/8)
(M6061T6B1.000x02.000)
Identify for D3440-15
Batch: M 107129 ml 08/08/22 (8)

2.0	BAND SAW	BAND SAW
-----	----------	----------



Comment: BAND SAW
Cut blank: 1.00" x 2.00" x 2.200" long ml 08/08/22 (8)

3.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1
Machine as per Folio FA554 and Dwg D3440
Dwg Rev: A
Identify as D3440-15
Folio Rev: 44
Deburr JL 08/08/28

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE JL 08/08/28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 13/08/2008 10:54:57 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BRACKET

Job Number: 41202

Part Number: D344015

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

8.F08/08/28

6.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 93

8/8/28

(8x)

SP

7.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

12.08.29

Job Completion



W 28.08.29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>RF</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 1 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:2
A	05.06.02	NEW ISSUE	

RELEASED
[Signature]
05/08/13



D3440-1 TUBE GUIDE
SUPERSEDES PREMIER P/N B67-43001-25/-307

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QT-A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT PAINT GREEN SANDTEX (4.3.5.8) PER DART QSI 005 4.3
- 3) MASK BEFORE PAINTING.
- 4) DRILL HOLE AT ASSEMBLY.
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES
- 7) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 41202


COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO. D3440	REV. A SHEET 2 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

RELEASED
05/08/18

**D3440-3 CLAMP****SUPERSEDES PREMIER P/N B67-43001-309****NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QT/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT PAINT GREEN SANDTEX (4.3.5.8) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **41202**



COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


DART

DESIGN 13	DRAWN BY 13	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 13	APPROVED 13	DRAWING NO. D3440	REV. A SHEET 3 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

RELEASED
05/08/18



DRILL $\varnothing 0.159$ THRU,
TAP #10-32 UNF THRU



D3440-5 CONTOURED DETENT CLIP BASE
SUPERSEDES PREMIER P/N B67-43001-217

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 41202



COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>R</i>	APPROVED <i>B</i>	DRAWING NO. D3440	REV. A SHEET 4 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1

RELEASED
05/08/13



SECTION A-A



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO *41208*

D3440-7 DETENT CLIP BASE
SUPERSEDES PREMIER P/N B67-43001-221

NOTES:


- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 5 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1



D3440-9 TUBE DETENT CLIP BASE
SUPERSEDES PREMIER P/N B67-43001-241

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)

RELEASED
[Signature]
05/08/13



D3440-11 GUSSET

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6061T6S.250)

NOTES:

- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
3) ALL DIMENSIONS ARE IN INCHES
4) BREAK ALL SHARP EDGES 0.005 TO 0.010


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *41201*

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 6 OF 7
DATE 05.06.02		TITLE BLADE FOLD KIT PARTS	SCALE 1:1



D3440-13 BRACKET
SUPERSEDES PREMIER P/N B67-43001-273

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-/651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR PER AMS/QQ/A/200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010



DETAIL B
SCALE 2:1

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *41202*

COPYRIGHT © 2005 BY DART AEROSPACE LTD.





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3440	REV. A SHEET 7 OF 7
DATE 05.06.02	TITLE BLADE FOLD KIT PARTS		SCALE 1:1

RELEASED
[Signature]
05/08/18

R0.13
(4 PLACES)



D3440-15 CONTOURED MALE EYE
SUPERSEDES PREMIER P/N B67-43001-215

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 41202

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

